Atmel

Atmel SAM4E Series


ARM Cortex-M4 Processor-Based Devices for Industrial Automation and Building Control Applications

The Atmel[®] SAM4E family delivers a rich set of advanced connectivity peripherals and a floating point unit (FPU). Based on the 32-bit ARM[®] Cortex[™]-M4 processor, SAM4E devices operate up to 120MHz and offer up to 1024KB of Flash, 2KB of cache memory and up to 128KB of SRAM. The family further extends Atmel's growing portfolio of ARM processor-based devices.

The SAM4E family offers a rich set of advanced connectivity peripherals such as a 10/100Mbps Ethernet MAC supporting IEEE 1588 and dual CAN. With a single-precision FPU, advanced analog features as well as a full set of timing and control functions, SAM4E MCUs are ideal for industrial automation, home and building control, machine-to-machine communications, automotive aftermarket and energy management applications.

High Performance

- ARM Cortex-M4 processor running at 120MHz
- · Floating point unit
- · 2KB cache providing zero wait state flash access at full speed
- Connectivity
 - 10/100 Ethernet MAC, supporting IEEE1588
 - Dual CAN
 - USB 2.0
- Advanced Analog
 - Two 16-bit analog-to-digital converters (ADCs) with up to 24 channels
 - Programmable gain amplifier
 - Offset error correction
 - Gain error correction
- Real Time Event
 - No CPU intervention
 - No latency



SAM4E

SAM4E Key Features		
Frequency	120MHz	
Flash	512KB - 1MB	
SRAM	128KB	
EMAC	1	
USB	FS Device	
CAN	2	
USART	4	
MCI/SDIO	Yes	
Ext Bus Interface	Yes	
SPI	3	
l ² C	2	
Crypto	AES	
Parallel Capture (CMOS int.)	Yes	
2x16-bit ADC	Up to 24 Channels	
12-bit DAC	Up to 2 Channels	
Timers/ PWMs	9/4	
GPIO	Up to 117	
Pin Count	100 - 144	
Package	QFP, BGA	

Atmel

Atmel SAM4E Series

ARM Cortex-M4 Processor-Based Devices for Industrial Automation and Building Control Applications

Key Applications

- Industrial Automation and Machine-to-Machine
 - Programmable logic controllers
 - Drive control
 - Robotics
- Building and Home Control
 - Concentrator
 - Access control
 - Control panels
 - Room control unit

Faster Development with Integrated Platform

Energy Management Power supplies communication

- Switch breakers communicationInverters communication
- Automotive Aftermarket
- Fleet management
- Telematics

As with all of Atmel's AVR[®] and ARM Cortex-M processor-based devices, the SAM4E family is supported by the Atmel Studio 6 integrated development platform (IDP). Available as a free download, Atmel Studio 6 includes the Atmel Software Framework, a complete library of source code, project examples, drivers and stacks. The IDP also features the Atmel Gallery apps store for embedded tools and extensions and the Atmel Spaces collaborative workspace for software and hardware projects based on Atmel microcontrollers.

Head Start on Your Designs

Get a fast start on your designs with the SAM4E-EK evaluation kit, featuring a SAM4E16EA microcontroller. The SAM4E-EK board is based on the integration of an ARM Cortex-M4 processor with on-board NAND Flash and a set of popular peripherals. It is designed to provide a high-performance, highly flexible processor evaluation platform for a wide range of applications. **Kit Ordering Code: ATSAM4E-EK**

Device Ordering Information

Device Ordering Code	Flash	Package
ATSAM4E16EA-AU	1MB	LQFP144
ATSAM4E16EA-CU	1MB	LFBGA144
ATSAM4E16CA-AU	1MB	LQFP100
ATSAM4E16CA-CU	1MB	LFBGA100
ATSAM4E8EA-AU	512KB	LQFP144
ATSAM4E8EA-CU	512KB	LFBGA144
ATSAM4E8CA-AU	512KB	LQFP100
ATSAM4E8CA-CU	512KB	LFBGA100



Atmel Enabling Unlimited Possibilities

Atmel Corporation

1600 Technology Drive, San Jose, CA 95110 USA

T: (+1)(408) 441.0311 **F**: (+1)(408) 487.2600

www.atmel.com

© 2013 Atmel Corporation. All rights reserved. / Rev.: Atmel-11220A-SAM4E-E-A4-01/13

Atmel[®], Atmel logo and combinations thereof, and others are registered trademarks or trademarks of Atmel Corporation or its subsidiaries. ARM[®], ARMPowered[®] logo and others are the registered trademarks of trademarks of ARM Ltd. Other terms and product names may be the trademarks of others.

Disclaimer: The information in this document is provided in connection with Atmel products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Atmel products. EXCEPT AS SET FORTH IN THE ATMEL TERMS AND CONDITIONS OF SALES LOCATED ON THE ATMEL WEBSITE, ATMEL ASSUMES NO LUABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO THE PROVIDED TO, THE MPLIED WARRANTY OF MERCHANTABULTY, FITNESS FOR A PARTICULAR PURPOSC, OR NON-HIRINGEMENT. IN OR EVENT SHALL ATMEL BE LUABLE FOR ANY DRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTIAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS AND PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL ASSUED OF THE POSSIBILITY OF SUCH DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS AND PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL HAS BEEN ADMISED OF THE POSSIBILITY OF SUCH DAMAGES. Armel makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the information contained herein. Unless specifications at any time without notice. Atmel does not make any commitment to update the information contained herein. Unless specifically provided otherwise, Atmel products are not suitable for, and shall not be used in automotive applications. Atmel products are not suitable for use as components in applications intended to support or suitain life.