

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture Label Killer
mixture
UFI YV00-00V7-1001-F22X
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Removing old labels.
Main intended use
PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name AG TermoPasty Grzegorz Gąsowski
Address Kolejowa 33 E, Sokoły, 18-218
Poland
Identification number (CRN) 200133730
VAT Reg No PL9661767714
Phone 862741342
E-mail biuro@termopasty.pl
Web address www.termopasty.pl
- Competent person responsible for the safety data sheet**
Name AG TermoPasty Grzegorz Gąsowski
E-mail biuro@termopasty.pl
- 1.4. Emergency telephone number**
National Health Service (NHS) 111
National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.
- Aerosol 1, H222, H229
Asp. Tox. 1, H304
Skin Sens. 1, H317
Aquatic Chronic 2, H411
- Full text of all classifications and hazard statements is given in the section 16.
- Most serious adverse physico-chemical effects**
Extremely flammable aerosol. Pressurised container: May burst if heated.
- Most serious adverse effects on human health and the environment**
May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

- 2.2. Label elements**
Hazard pictogram



Signal word
Danger

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

Hazardous substances

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic
Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic
(R)-p-mentha-1,8-diene

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a doctor.
P331 Do NOT induce vomiting.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	33-44	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1
EC: 918-481-9 Registration number: 01-2119457273-39-XXXX	Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic	17,32- <24,75	Asp. Tox. 1, H304 EUH066	
EC: 919-857-5 Registration number: 01-2119463258-33-0002	Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic	<20	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 EUH066	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	12-22	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 601-029-00-7 CAS: 5989-27-5 EC: 227-813-5 Registration number: 01-2119529223-44-XXXX	(R)-p-mentha-1,8-diene	2,25-4,5	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Index: 649-422-00-2 CAS: 64742-47-8 EC: 265-149-8	Distillates (petroleum), hydro- treated light	<2,475	Asp. Tox. 1, H304 EUH066	
Index: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1	1-methoxy-2-propanol	0,45-2,25	Flam. Liq. 3, H226 STOT SE 3, H336	1

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date	29th July 2022	Version	3.0
Revision date			

Notes

1 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

If swallowed

DO NOT INDUCE VOMITING! If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

May cause an allergic skin reaction.

If in eyes

When intruding eyes, it can evoke irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale gases and vapours. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale gases and vapours. Prevent contact with skin and eyes. No smoking. Protect against direct sunlight. Contaminated work clothing should not be allowed out of the workplace. Do not pierce or burn, even after use. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
300 ml	airspray	FE
400 ml	airspray	FE

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
butane (CAS: 106-97-8)	WEL 8h	1450 mg/m ³	
	WEL 8h	600 ppm	
	WEL 15min	1810 mg/m ³	
	WEL 15min	750 ppm	
1-methoxy-2-propanol (CAS: 107-98-2)	WEL 8h	375 mg/m ³	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
	WEL 8h	100 ppm	
	WEL 15min	560 mg/m ³	

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
1-methoxy-2-propanol (CAS: 107-98-2)	WEL 15min	150 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

DNEL

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	208 mg/kg/24h our	Systemic chronic effects		
Workers	Inhalation	871 mg/m ³	Systemic chronic effects		
Consumers	Dermal	125 mg/kg/24h our	Systemic chronic effects		
Consumers	Inhalation	185 mg/m ³	Systemic chronic effects		
Consumers	Oral	125 mg/kg bw/day	Systemic chronic effects		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	colourless
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	gas
Kinematic viscosity	data not available
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

Vapour pressure data not available
Density and/or relative density data not available
9.2. Other information
Evaporation rate non-applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

(R)-p-mentha-1,8-diene

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Oral	LD ₅₀		>2000 mg/kg		Rat		ECHA
Dermal	LD ₅₀		>5000 mg/kg		Rabbit		ECHA

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Oral	LD ₅₀	OECD 401	>5000 mg/kg bw		Rat		
Dermal	LD ₅₀		>3000 mg/kg bw		Rabbit		
Inhalation	LC ₅₀	OECD 403	>5000 mg/m ³	8 hour	Rat		
Dermal	LD ₅₀	OECD 402	>2000 mg/kg		Rat		

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Inhalation	CL50	OECD 403	>5000 mg/kg	4 hour	Rat		
Oral	DL50	OECD 401	>5000	4 hour	Rat		
Dermal	DL50	OECD 402	>5000 mg/kg		Rabbit		

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways. Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxic to aquatic life with long lasting effects.

(R)-p-mentha-1,8-diene

Parameter	Method	Value	Exposure time	Species	Environment	Source
LC ₅₀		3 mg/kg	96 hour	Fishes (Pimephales promelas)		ECHA
EC ₅₀		0.307 mg/l	48 hour	Daphnia (Daphnia magna)		ECHA

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Species	Environment	Source
LL50		>1000 mg/l	48 hour	Fishes		
LL 50		>1000 mg/l	48 hour	Daphnia (Daphnia magna)		
LL 50		>1000 mg/l	96 hour	Algae		
EL0	OECD 202	>1000 mg/l	48 hour	Daphnia (Daphnia magna)		
LL0	OECD 203	>1000 mg/l	96 hour	Fishes		
NOERL	OECD 201	1000 mg/l	72 hour	Algae and other aquatic plants		
EL 50		>1000 mg/l	72 hour	Bacteria		

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Species	Environment	Source
EL0		1000 mg/l	48 hour	Daphnia magna		
LL50		>1000 mg/l	96 hour	Oncorhynchus mykiss		
NOELR		100 mg/l	72 hour	Pseudokirchneriella subcapitata		
EL50		>1000 mg/l	72 hour	Pseudokirchneriella subcapitata		

Chronic toxicity

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Species	Environment
NOELR	OECD 201	32 mg/l	96 hour	Algae	Salt water
NOERL		0.101 mg/l	28 day	Fishes	
NOERL		0.176 mg/l	21 day	Aquatic invertebrates	

12.2. Persistence and degradability

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

Biodegradability

(R)-p-mentha-1,8-diene

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301				Easily biodegradable

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Environment	Result
		80 %	28 day		Hardly biodegradable

Data not available.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

not available

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances *

Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer


Creation date 29th July 2022
Revision date Version 3.0

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.
UN number
Classification code
Safety signs



5F

2.1+hazardous for the environment



Air transport - ICAO/IATA

Packaging instructions passenger 203
Cargo packaging instructions 203

Marine transport - IMDG

EmS (emergency plan) F-D, S-U
MFAG 620

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. The Aerosol Dispensers (Amendment) Regulations 2018. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H226 Flammable liquid and vapour.
H229 Pressurised container: May burst if heated.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P301+P310 IF SWALLOWED: Immediately call a doctor.
P331 Do NOT induce vomiting.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date 29th July 2022
Revision date Version 3.0

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

A list of additional standard phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE ₅₀	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₅₀	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LL ₅₀	Lethal Loading for 50% of tested organisms
log K _{ow}	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS
Aerosol	Aerosol
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Flam. Gas	Flammable gas

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Label Killer

Creation date	29th July 2022	Version	3.0
Revision date			

Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 05 May 2021. Changes were made in sections 2, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.