


### Features

- STM32 microcontrollers in 32-pin packages
- Three LEDs: USB communication (LD1), power LED (LD2) and user LED (LD3)
- Reset push-button
- Board expansion connector:
  - Arduino™ Nano
- Flexible power-supply options: ST-LINK USB V<sub>BUS</sub> or external sources
- On-board ST-LINK/V2-1 debugger/programmer with USB re-enumeration capability: mass storage, Virtual COM port and debug port
- Support of a wide choice of Integrated Development Environments (IDEs) including IAR™, Keil®, GCC-based IDEs, Arm® Mbed™
- Arm® Mbed Enabled™ compliant (only for some Nucleo part numbers)

### Description

The STM32 Nucleo-32 boards provide an affordable and flexible way for users to try out new concepts and build prototypes with the STM32 microcontrollers, choosing from various combinations of performance, power consumption and features. The Arduino™ Nano connectivity makes it easy to expand the functionality of the STM32 Nucleo open development platform with a choice of specialized shields. The STM32 Nucleo-32 board does not require any separate probe as it integrates the ST-LINK/V2-1 debugger/programmer and comes with the STM32 comprehensive software HAL library, together with various packaged software examples, as well as direct access to the Arm® Mbed Enabled™ on-line resources.



Picture is not contractual.

Table 1. Device summary

Reference	Part number
NUCLEO-XXXXKX	NUCLEO-F031K6, NUCLEO-F042K6, NUCLEO-F301K8, NUCLEO-F303K8, NUCLEO-L011K4, NUCLEO-L031K6, NUCLEO-L412KB, NUCLEO-L432KC.



## System requirements

- Windows® OS (7, 8 and 10), Linux® 64-bit or macOS®(a)
- USB Type-A to Micro-B cable

## Development toolchains

- Keil® MDK-ARM(b)
- IAR™ EWARM(b)
- GCC-based IDEs
- Arm® Mbed™(c) online(d) (see <http://mbed.org>)

## Demonstration software

The demonstration software, included in the STM32Cube MCU Package, is preloaded in the STM32 Flash memory for easy demonstration of the device peripherals in standalone mode. The latest versions of the demonstration source code and associated documentation can be downloaded from the [www.st.com](http://www.st.com) webpage.

- 
- a. macOS® is a trademark of Apple Inc. registered in the U.S. and other countries.
  - b. On Windows® only.
  - c. Arm and Mbed are registered trademarks or trademarks of Arm Limited (or its subsidiaries) in the US and or elsewhere.
  - d. Refer to the <https://www.mbed.com> website and to [Table 2: Ordering information](#), to determine which Nucleo board order codes are supported.

## Ordering information

To order the STM32 Nucleo-32 board, refer to [Table 2](#).

**Table 2. Ordering information**

Order code	Reference board	Target STM32
NUCLEO-F031K6 <sup>(1)</sup>	MB1180	STM32F031K6T6
NUCLEO-F042K6 <sup>(1)</sup>		STM32F042K6T6
NUCLEO-F301K8		STM32F301K8T6
NUCLEO-F303K8 <sup>(1)</sup>		STM32F303K8T6
NUCLEO-L011K4 <sup>(1)</sup>		STM32L011K4T6
NUCLEO-L031K6 <sup>(1)</sup>		STM32L031K6T6
NUCLEO-L412KB		STM32L412KBU6U <sup>(2)</sup>
NUCLEO-L432KC <sup>(1)</sup>		STM32L432KCU6U <sup>(2)</sup>

1. Arm® Mbed Enabled™.
2. Refer to the *Product marking* section of user manual UM2303 for details.

The meaning of the codification is explained in [Table 3](#).

**Table 3. Codification explanation**

NUCLEO-TXXXXY	Description	Example: NUCLEO-L412KB
TXXX	STM32 product line	STM32L412
K	STM32 package pin count	32 pins
Y	STM32 Flash memory size: – 4 for 16 Kbytes – 6 for 32 Kbytes – 8 for 64 Kbytes – B for 128 Kbytes – C for 256 Kbytes	128 Kbytes

The order code is mentioned on a sticker, placed on the top side of the board.

## Revision history

**Table 4. Document revision history**

<b>Date</b>	<b>Revision</b>	<b>Changes</b>
08-Sep-2015	1	Initial release.
15-Jan-2016	2	Updated <i>Table 1: Device summary</i> and <i>Table 2: Ordering information</i> .
09-Jun-2016	3	Updated <i>Section : Description</i> and <i>Section : System requirements</i> to add NUCLEO-L432KC.
07-Jul-2017	4	Updated <i>Features</i> .
23-Aug-2018	5	Extended document scope to NUCLEO-L412KB. Updated <i>Table 1: Device summary</i> , <i>System requirements</i> , <i>Development toolchains</i> , and <i>Ordering information</i> . Added <i>Demonstration software</i> .
13-Nov-2018	6	Extended document scope to NUCLEO-F301K8: updated <i>Features</i> , <i>Table 1: Device summary</i> , and <i>Table 2: Ordering information</i> .

**IMPORTANT NOTICE – PLEASE READ CAREFULLY**

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved